

EXTERNAL / INTERNAL / LPS


WIND BLADE INTELLIGENCE.

A connected blade evidence workflow for visible condition, internal surfaces and lightning-protection support.

SPECIALIST CAPABILITY / 2026

V3 NAMIBIA

v3namibia.com



DECISION-LED DELIVERY

ONE TURBINE. MULTIPLE CONDITION LAYERS. ONE PRIORITISED RECORD.

01

EXTERNAL

High-resolution blade-surface capture and anomaly review.

02

INTERNAL

Specialist internal inspection for difficult blade surfaces.

03

LPS

Lightning-protection inspection support and linked evidence.

04

TRACK

Turbine-linked findings for repair planning and re-inspection.

CONTROLLED EVIDENCE

Capture, analysis and reporting are planned as one workflow.

Scope, timing, outputs and client access are agreed before mobilisation.

WHAT THE PROGRAMME CAN INCLUDE

CAPTURE THE RIGHT EVIDENCE LAYERS.



METHOD SELECTED AROUND THE ASSET AND DECISION

01

BLADE SURFACE

- Leading and trailing edges
- Pressure and suction sides
- Tip, root and attachments

02

INTERNAL

- Internal surface evidence
- Bond-line and structural observations
- Confined-space methodology

03

REPORTING

- Asset and blade identification
- Severity and location
- Repair and follow-up support

WHAT THE CLIENT RECEIVES

A DELIVERY PACK BUILT TO BE USED.

01 TURBINE AND BLADE-LINKED FINDINGS

02 SUPPORTING IMAGERY

03 PRIORITISED EXCEPTION REGISTER

04 REPEATABLE INSPECTION HISTORY

SECURE CLIENT ACCESS

Approved files can be shared through the V3 Namibia client portal.

Access is linked to the client and project, keeping delivery organised and controlled.

DISCUSS THE PROGRAMME

START WITH THE ASSET, SCOPE OR DECISION.

We will help define the right methodology,
evidence and delivery format before mobilisation.

LOUW BONTHUYS

Managing Director

louw@v3namibia.com

+27 (0)64 970 7708

EBEN KOEN

Client Solutions

eben@v3namibia.com

v3namibia.com

